# RECOMMENDATION TO GISB EXECUTIVE COMMITTEE Requester: **El Paso Natural Gas** Request No.: R98053 / R98054

1. Recommended Action: Accept as requested Accept as modified below Decline	Effect of EC Vote to Accept Recommended Action:  X Change to Existing Practice Status Quo					
2. TYPE OF MAINTENANCE						
Per Request:	Per Recommendation:					
<ul><li>X Initiation</li><li>Modification</li><li>Interpretation</li><li>Withdrawal</li></ul>	<ul> <li>X Initiation</li> <li>X Modification</li> <li>Interpretation</li> <li>Withdrawal</li> </ul>					
Principle (x.1.z)Definition (x.2.z)Business Practice Standard (x.3.z)Document (x.4.z)Code Value (x.4.z)X12 Implementation GuideBusiness Process Documentation	Principle (x.1.z)Definition (x.2.z)  X_Business Practice Standard (x.3.z)Document (x.4.z)  X_Data Element (x.4.z)Code Value (x.4.z)X12 Implementation Guide Business Process Documentation					

# 3. RECOMMENDATION

- **SUMMARY:** \* EII Task Force (November 2 4, 1998) IR11 and IR12
  - \* Add Nomination User Data 1 and Nomination User Data 2 to the Nomination and Scheduled
  - \* Revise standards 1.3.54 and 1.3.61 to include Nomination User Data 1 and Nomination User
  - \* Add Confirmation User Data 1 and Confirmation User Data 2 to the Request for Confirmation, Confirmation Response and Scheduled Quantity for Operator.
  - \* Revise standards 1.3.60 and 1.3.63 to include Confirmation User Data 1 and Confirmation User Data 2.



**DATA DICTIONARY** (for new documents and addition, modification or deletion of data elements)

**Document Name and No.:** Nomination, 1.4.1

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non- Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI /FF – Usage	Condition
Nomination User Data 1 (Nom User Data 1)	Service requester- defined information.	TSDG	MA	MA	MA	MA	MA	
Nomination User Data 2 (Nom User Data 2)	Service requester- defined information.	TSDG	MA	MA	MA	MA	MA	

<sup>\*</sup> Indicates Common Code

**Document Name and No.:** Scheduled Quantity, 1.4.5

Design Name		D-4-	EDD	EBB	EBB	EBB	EDI	
Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	Non- Pathed	PNT - "T"	PNT - "U"	/FF – Usage	Condition
Nomination User Data 1 (Nom User Data 1)	Service requester- defined information.	TSDG	MA	MA	MA	MA	MA	For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Nomination User Data 2 (Nom User Data 2)	Service requester- defined information.	TSDG	MA	MA	MA	MA	MA	For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.

<sup>\*</sup> Indicates Common Code



**Document Name and No.:** Request for Confirmation, 1.4.3

Confirmation Response, 1.4.4

<b>Business Name</b>		Data	EBB	EDI / FF	
(Abbreviation)	Definition	Group	Usage	Usage	Condition
Confirmation User Data 1 (Conf User Data 1)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	
Confirmation User Data 2 (Conf User Data 2)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	

<sup>\*</sup> Indicates Common Code

**Document Name and No.:** Scheduled Quantity for Operator, 1.4.6

<b>Business Name</b>		Data	EBB	EDI / FF	
(Abbreviation)	Definition	Group	Usage	Usage	Condition
Confirmation User Data 1 (Conf User Data 1)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Confirmation User Data 2 (Conf User Data 2)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.

<sup>\*</sup> Indicates Common Code

**BUSINESS PROCESS DOCUMENTATION** (for addition, modification or deletion of business process documentation language)

Standards Book: Nominations Related Standards Book, GISB Standards 1.3.54 and 1.3.61

**Language:** [Add Nomination User Data 1 and Nomination User Data 2 to the end of the Transaction Specific Data Group. Keep these two data elements in the order of Nomination User Data 1 and then Nomination User Data 2.]

Standards Book: Nominations Related Standards Book, GISB Standards <u>1.3.60</u> and <u>1.3.63</u>

**Language:** [Add Confirmation User Data 1 and Confirmation User Data 2 to the end of the Transaction Specific Data Group. Keep these two data elements in the order of Confirmation User Data 1 and then Confirmation User Data 2.]



### **TECHNICAL CHANGE LOG** (all instructions to accomplish the recommendation)

**Document Name and No.:** Nomination (1.4.1)

Request for Confirmation (1.4.3) Confirmation Response (1.4.4) Scheduled Quantity (1.4.5)

Scheduled Quantity for Operator (1.4.6)

#### **Description of Change:**

# **G850NMST - Nomination (1.4.1)**

#### **Data Element Xref to X12**

Sub-detail SI Segment: add two new entries at the end of the SI list of data elements as: "MA MA MA MA Nomination User Data 1" and "MA MA MA MA Nomination User Data 2"

# X12 Mapping

Sub-detail SI Segment (position 480): SI03: add ", Nomination User Data 1, Nomination User Data 2" to end of the list of data elements

### **Transaction Set Tables**

"SI 1000/234 Pairs (Sub-detail)" table: add two new rows at the end of the table as follows: Element Name column = "Nomination User Data 1"; Usage column = "MA" for all 4 model types; Elem 1000 column = "A1"; Elem 234 column = [blank]; Elem 234 Description column: "Nomination User Data 1"; next row: Element Name column = "Nomination User Data 2"; Usage column = "MA" for all 4 model types; Elem 1000 column = "A2"; Elem 234 column = [blank]; Elem 234 Description column: "Nomination User Data 2"

# **G850RQCF - Request for Confirmation (1.4.3)**

# **Data Element Xref to X12**

Sub-detail SI Segment: add two new entries at the end of the SI list of data elements as: "MA Confirmation User Data 1" and "MA Confirmation User Data 2"

### X12 Mapping

Sub-detail SI Segment (position 480): SI03: add ", Confirmation User Data 1, Confirmation User Data 2" to end of the list of data elements

# **Transaction Set Tables**

"SI 1000/234 Pairs (Sub-detail)" table: add two new rows at the end of the table as follows: Element Name column = "Confirmation User Data 1"; Usage column = "MA"; Elem 1000 column = "C1"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 1"; next row: Element Name column = "Confirmation User Data 2"; Usage column = "MA"; Elem 1000 column = "C2"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 2"

# **G855RRFC - Confirmation Response (1.4.4)**

#### Data Element Xref to X12

Sub-detail SI Segment: add two new entries at the end of the SI list of data elements as: "MA Confirmation User Data 1" and "MA Confirmation User Data 2"

### X12 Mapping

Sub-detail SI Segment (position 500): SI03: add ", Confirmation User Data 1, Confirmation User Data 2" to end of the list of data elements

# **Transaction Set Tables**



"SI 1000/234 Pairs (Sub-detail)" table: add two new rows at the end of the table as follows: Element Name column = "Confirmation User Data 1"; Usage column = "MA"; Elem 1000 column = "C1"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 1"; next row: Element Name column = "Confirmation User Data 2"; Usage column = "MA"; Elem 1000 column = "C2"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 2"

# **G865SQTS - Scheduled Quantity (1.4.5)**

# **Data Element Xref to X12**

Sub-detail SI Segment: add two new entries at the end of the SI list of data elements as: "MA MA MA MA nu nu nu Nomination User Data 1" and "MA MA MA MA nu nu nu nu Nomination User Data 2"

# X12 Mapping

Sub-detail SI Segment (position 500): SI03: add ", Nomination User Data 1, Nomination User Data 2" to end of the list of data elements

#### **Transaction Set Tables**

"SI 1000/234 Pairs (Sub-detail)" table: add two new rows at the end of the table as follows: Element Name column = "Nomination User Data 1"; Usage column = "MA" for all 4 model types; Elem 1000 column = "A1"; Elem 234 column = [blank]; Elem 234 Description column: "Nomination User Data 1"; next row: Element Name column = "Nomination User Data 2"; Usage column = "MA" for all 4 model types; Elem 1000 column = "A2"; Elem 234 column = [blank]; Elem 234 Description column: "Nomination User Data 2"

#### **G865SQOP - Scheduled Quantity for Operator (1.4.6)**

#### **Data Element Xref to X12**

Sub-detail SI Segment: add two new entries at the end of the SI list of data elements as: "MA nu Confirmation User Data 1" and "MA nu Confirmation User Data 2"

### X12 Mapping

Sub-detail SI Segment (position 500): SI03: add ", Confirmation User Data 1, Confirmation User Data 2" to end of the list of data elements

#### **Transaction Set Tables**

"SI 1000/234 Pairs (Sub-detail)" table: add two new rows at the end of the table as follows: Element Name column = "Confirmation User Data 1"; Usage column = "MA"; Elem 1000 column = "C1"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 1"; next row: Element Name column = "Confirmation User Data 2"; Usage column = "MA"; Elem 1000 column = "C2"; Elem 234 column = [blank]; Elem 234 Description column: "Confirmation User Data 2"

# Cleanup items for this recommendation

# **G865SQOP - Scheduled Quantity for Operator (1.4.6)**

# **Transaction Set Tables**

"SI 1000/234 Pairs (Sub-detail)" table: in between the title of the table and the table itself, skip a line and add "see n1"[this should look like the PO1 235/234 Pairs (Detail) table in the Offer Download 5.4.1]

"SI 1000/234 Pairs (Sub-detail) table: Add a "Notes:" section under the table with one entry as follows: "n1 These data elements, with the exception of Contractual Flow Indicator, Service Requester Contract and Reduction Reason, are not needed when the Confirmation Tracking Identifier is used. The usages of Contractual Flow Indicator, Service Requester Contract and Reduction Reason are not contingent on the presence of the Confirmation Tracking Identifier."

"N1 Segments (Sub-detail)" table: in between the title of the table and the table itself, skip a line and add "see n1"



"N1 Segments (Sub-detail)" table: Add a "Notes:" section under the table with one entry as follows: "n1 These data elements, with the exception of Service Requester, are not needed when the Confirmation Tracking Identifier is used. The usage of Service Requester is not contingent on the presence of the Confirmation Tracking Identifier."

#### 4. SUPPORTING DOCUMENTATION

#### a. Description of Request:

**R98053** – Accounting Data 1 is a mutually agreeable five-character field used by the customer to enter additional information about the transaction. This field is not in the Key of the nomination or confirmation.

**R98054** -- Accounting Data 2 is a mutually agreeable five-character field used by the customer to enter additional information about the transaction. This field is not in the Key of the nomination or confirmation.

#### b. Description of Recommendation:

**EBB Internet Implementation Task Force** (November 2 – 4, 1998)

#### R98053:

Ms. Royal reviewed the request to add a data element "Accounting Data 1" with the usage of mutually agreeable to the Nomination, Request for Confirmation, Confirmation Response, Scheduled Quantity and the Scheduled Quantity for Operator data sets (GISB Standard Nos. 1.4.1, 1.4.3, 1.4.4, 1.4.5 and 1.4.6). This field is a five character alphanumeric, not part of the key of the nomination or the confirmation, and is supplied by the customer to carry whatever information he may want to associate with the nomination. They have used it to carry additional information such as names of third parties involved in the transaction, gas prices involved in the transaction, fuel rates, data to assist in calculations when reporting scheduled quantity data to a spreadsheet, or accounting or financial information related to the transaction. For information provided by a shipper in the nomination process, that information is passed through the scheduled quantity. For information provided through the confirmation process, the operator provides the information and it is passed through the confirmation response and scheduled quantity for operators documents. After discussion the name of the element was changed to "User Data 1".

# Action:

IR11 – Instruct Information Requirements Subcommittee to add a data element "User Data 1" with the usage of mutually agreeable to the Nomination and Request for Confirmation data sets, and added with the appropriate usage defined thereafter for the Confirmation Response, Scheduled Quantity and the Scheduled Quantity for Operator data sets (GISB Standard Nos. 1.4.1, 1.4.3, 1.4.4, 1.4.5 and 1.4.6).

The action carried unanimously.

#### R98054.

Ms. Royal reviewed the request to add a data element "Accounting Data 2" with the usage of mutually agreeable to the Nomination, Request for Confirmation, Confirmation Response, Scheduled Quantity and

# RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: El Paso Natural Gas Request No.: R98053 / R98054

the Scheduled Quantity for Operator data sets (GISB Standard Nos. 1.4.1, 1.4.3, 1.4.4, 1.4.5 and 1.4.6). This field is a five character alphanumeric, not part of the key of the nomination or the confirmation, and is supplied by the customer to carry whatever information he may want to associate with the nomination. They have used it to carry additional information such as names of third parties involved in the transaction, gas prices involved in the transaction, fuel rates, data to assist in calculations when reporting scheduled quantity data to a spreadsheet, or accounting or financial information related to the transaction. For information provided by a shipper in the nomination process, that information is passed through the scheduled quantity. For information provided through the confirmation process, the operator provides the information and it is passed through the confirmation response and scheduled quantity for operators documents. After discussion the name of the element was changed to "User Data 2".

#### Action:

IR12 – Instruct Information Requirements Subcommittee to add a data element "User Data 2" with the usage of mutually agreeable to the Nomination and Request for Confirmation data sets, and added with the appropriate usage defined thereafter for the Confirmation Response, Scheduled Quantity and the Scheduled Quantity for Operator data sets (GISB Standard Nos. 1.4.1, 1.4.3, 1.4.4, 1.4.5 and 1.4.6).

The action carried unanimously.

# **Information Requirements Subcommittee**

### **MOTION:**

• Add the following data elements to the line item level of the Nomination:

				EBB	EBB	EBB	EDI	
<b>Business Name</b>		Data	EBB	Non-	PNT -	PNT -	/FF –	
(Abbreviation)	Definition	Group	Pathed	Pathed	"T"	"U"	Usage	Condition
Nomination User Data 1	Service requester-	TSDG	MA	MA	MA	MA	MA	
(Nom User Data 1)	defined							
	information.							
Nomination User Data 2	Service requester-	TSDG	MA	MA	MA	MA	MA	
(Nom User Data 2)	defined							
	information.							

- ♦ Revise GISB Standard 1.3.54 to add Nomination User Data 1 and Nomination User Data 2 to the end of the Transaction Specific Data Group. Keep these two data elements in the order of Nomination User Data 1 and then Nomination User Data 2.
- ♦ Add the following data elements to the Scheduled Quantity:

				EBB	EBB	EBB	EDI	
<b>Business Name</b>		Data	<b>EBB</b>	Non-	PNT -	PNT -	/FF –	
(Abbreviation)	Definition	Group	Pathed	Pathed	"T"	"U"	Usage	Condition

# RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: El Paso Natural Gas Request No.: R98053 / R98054

Nomination User Data 1	Service requester-	TSDG	MA	MA	MA	MA	MA	For EDI and
(Nom User Data 1)	defined							FF, this data
	information.							element is not
								needed when
								the
								Nominator's
								Tracking ID is
								used.
Nomination User Data 2	Service requester-	TSDG	MA	MA	MA	MA	MA	For EDI and
(Nom User Data 2)	defined							FF, this data
	information.							element is not
								needed when
								the
								Nominator's
								Tracking ID is
								used.

♦ Revise GISB Standard 1.3.61 to add Nomination User Data 1 and Nomination User Data 2 to the end of the Transaction Specific Data Group. Keep these two data elements in the order of Nomination User Data 1 and then Nomination User Data 2.

• Add the following data elements to the Request for Confirmation and Confirmation Response:

<b>Business Name</b>		Data	EBB	EDI / FF	
(Abbreviation)	Definition	Group	Usage	Usage	Condition
Confirmation User Data 1 (Conf User Data 1)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	
Confirmation User Data 2 (Conf User Data 2)	Information defined by the originator of the confirmation process.	TSDG	MA	MA	

<sup>\*</sup> Indicates Common Code

♦ Add the following data elements to the Scheduled Quantity for Operator:

Business Name		Data	EBB	EDI / FF	
(Abbreviation)	Definition	Group	Usage	Usage	Condition
Confirmation User Data 1	Information defined by the	TSDG	MA	MA	For EDI and FF, this
(Conf User Data 1)	originator of the				data element is not
	confirmation process.				needed when the
					Confirmation Tracking
					Identifier is used.
Confirmation User Data 2	Information defined by the	TSDG	MA	MA	For EDI and FF, this
(Conf User Data 2)	originator of the				data element is not
	confirmation process.				needed when the
					Confirmation Tracking
					Identifier is used.

<sup>\*</sup> Indicates Common Code

#### RECOMMENDATION TO GISB EXECUTIVE COMMITTEE **El Paso Natural Gas** Requester: Request No.: R98053 / R98054 Revise GISB Standards 1.3.60 and 1.3.63 to add Confirmation User Data 1 and Confirmation User Data 2 to the end of the Transaction Specific Data Group. Keep these two data elements in the order of Confirmation User Data 1 and then Confirmation User Data 2. **Sense of the Room:** May 17 - 18, 1999 0 Opposed 13 In Favor Segment Check (if applicable): \_\_\_End-Users In Favor: LDCs **Pipelines Producers** Services Opposed: **End-Users** LDCs Pipelines Producers Services **Technical Subcommittee** Sense of the Room: 6 In Favor 0 Opposed June 1, 1999 Segment Check (if applicable): \_\_\_End-Users In Favor: \_LDCs **Pipelines** Producers Services Opposed: End-Users \_\_\_LDCs \_\_\_\_Pipelines Producers Services c. Business Purpose: Per the request: Customers use this field to carry additional details about the transaction on the transaction itself, including the names of third parties involved in the transaction, information on the gas prices involved in the transaction, fuel rate, or data to assist in calculations when exporting scheduled quantity data to a spreadsheet.

d. Commentary/Rationale of Subcommittee(s)/Task Force(s):

IR implemented per instructions from the EII Task Force.