

RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: ANR Pipeline

Request No.: R98090

1. Recommended Action:

- Accept as requested
- Accept as modified below
- Decline

Effect of EC Vote to Accept Recommended Action:

- Change to Existing Practice
- Status Quo

2. TYPE OF MAINTENANCE

Per Request:

- Initiation
- Modification
- Interpretation
- Withdrawal

- Principle (x.1.z)
- Definition (x.2.z)
- Business Practice Standard (x.3.z)
- Document (x.4.z)
- Data Element (x.4.z)
- Code Value (x.4.z)
- X12 Implementation Guide
- Business Process Documentation

Per Recommendation:

- Initiation
- Modification
- Interpretation
- Withdrawal


- Principle (x.1.z)
- Definition (x.2.z)
- Business Practice Standard (x.3.z)
- Document (x.4.z)
- Data Element (x.4.z)
- Code Value (x.4.z)
- X12 Implementation Guide
- Business Process Documentation

3. RECOMMENDATION

- SUMMARY:**
- * EII Task Force (December 18, 1998) – IR35
 - * Revise the Technical Implementation of Business Process for the Nomination.

BUSINESS PROCESS DOCUMENTATION (for addition, modification or deletion of business process documentation language)

Standards Book: Nominations Related Standards, Technical Implementation of Business Process for the Nomination (1.4.1)



RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: ANR Pipeline

Request No.: R98090

Language: ~~The service provider's activity code, when supported by both the sender and receiver of the nomination, allows the Transportation Service Provider to assign a unique identifier to a nomination line item within a contract. This identifier is then effective for the life of the contract and may be used to submit Nomination transactions and receive Quick Response and Scheduled Quantity transactions. The service provider's activity code is comprised of a unique combination of the data elements that constitute a transaction line item within a contract for a model type. For the pathed model, the activity code defines a single combination of receipt location, delivery location, upstream identifier and contract, downstream identifier and contract, quantity type, capacity type indicator and package id. For the non pathed model, if the activity code is for a receipt location then the activity code defines a single combination of receipt location, upstream identifier and contract, quantity type, capacity type indicator and package id. If the non pathed model activity code is for a delivery location, that activity code defines a single combination of delivery location, downstream identifier and contract, quantity type, capacity type indicator and package id. For the threaded segment of the pathed non-threaded model, the activity code defines a single combination of receipt location, delivery location, quantity type, capacity type indicator and package id. For the unthreaded segment of the pathed non-threaded model, the activity code defines the same line item as it does for the non-pathed model.~~

The service provider's activity code is assigned by the transportation service provider to identify a combination of nomination data elements specified by the transportation service provider. It is used within the nomination process to represent a portion of the nomination components as specified by the transportation service provider.

4. SUPPORTING DOCUMENTATION

a. Description of Request:

Revise the definition language in the Nomination Technical Implementation of Business Practice for the Service Provider's Activity Code.

b. Description of Recommendation:

EBB Internet Implementation Task Force (December 18, 1998)

Action:

IR35 – The request is moved to IR for their consideration.

The action carried unanimously.

Information Requirements Subcommittee

MOTION:

Revise the Technical Implementation of Business Process for the Nomination. Delete the third paragraph on page 2 and replace it with a new paragraph as shown below.

